

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	confidence AND ("IDS" intrusion detection intrusion) AND (signature\$1 NEAR anomal\$3) AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND ("726".clas. "713".clas. "380".clas. "709".clas. "715".clas. "370".clas. "702".clas. "714".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 09:30
L2	424	confidence AND ("IDS" intrusion detection intrusion "IPS" intrusion protection "HID" host intrusion) AND signature\$1 AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND ("726".clas. "713".clas. "380".clas. "709".clas. "715".clas. "370".clas. "702".clas. "714".clas.) AND (@pd<"20040519" @ad<"20040519" @prad<"20040519" @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 09:31
L3	26	confidence AND ("IDS" intrusion detection intrusion "IPS" intrusion protection "HID" host intrusion) AND (signature\$1 NEAR database\$1) AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND ("726".clas. "713".clas. "380".clas. "709".clas. "715".clas. "370".clas. "702".clas. "714".clas.) AND (@pd<"20040519" @ad<"20040519" @prad<"20040519" @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 09:32
S1	2202	713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:24
S2	388	(intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S3	2543	(intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:31

EAST Search History (Prior Art)

S4	366	determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S5	190	(decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:25
S6	54	data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S7	35	filter AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26
S8	43	(filter OR screen OR scrutinize OR analyze) AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26

EAST Search History (Prior Art)

S9	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S10	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:28
S11	0	trust level AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29
S12	3	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29
S13	47	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33

EAST Search History (Prior Art)

S14	574	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S15	287	(trust NEAR level OR degree) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:20
S16	663	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:22
S17	386	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S18	387	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23

EAST Search History (Prior Art)

S19	331	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S20	18	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S21	8	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:28
S22	201	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND "726".clas. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S23	12	(measure\$4) AND network AND data AND packet AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:29
S24	13	(measure\$4) AND network AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:55
S25	13	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:57

EAST Search History (Prior Art)

S26	87	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/23.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:58
S27	2	"6279113".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:44
S28	2	"7032114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59
S29	2	"5796942".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59
S30	5584	(726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:30
S31	187	(decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND signature AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:31
S32	187	(decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND signature\$1 AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:32
S33	143	("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND signature\$1 AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:40

EAST Search History (Prior Art)

S34	177	("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (signature\$1 pattern\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:50
S35	543	("IDS" intrusion detection) AND ((decreas\$3 decrement\$3) (increas\$3 increment\$3) NEAR (signature\$1 pattern\$1)) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:51
S36	216	("IDS" intrusion detection) AND threshold AND ((decreas\$3 decrement\$3) (increas\$3 increment\$3) NEAR (signature\$1 pattern\$1)) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
S37	4	("IDS" intrusion detection) AND threshold AND ((decreas\$3 decrement\$3) AND (increas\$3 increment\$3) NEAR (signature\$1 pattern\$1)) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
S38	76	("IDS" intrusion detection) AND threshold AND ((decreas\$3 decrement\$3) AND (increas\$3 increment\$3) SAME (signature\$1 pattern\$1)) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
S39	2	"20030061514".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:54
S40	2	"20050037733".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 10:46

EAST Search History (Prior Art)

S41	8	(confidence certainty) value AND ("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (signature\$1 pattern\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 14:24
S42	65	gassoway.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:53
S43	15	gassoway.in. AND ("713".clas. "726".clas. "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:53
S44	1	"2003145226".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:10
S45	3	Bruton David Aro.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:12
S46	15	((confidence certainty degree) NEAR value) AND ("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (signature\$1 pattern\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:16
S47	149	filter\$3 AND ("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (signature\$1 pattern\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:16

EAST Search History (Prior Art)

S48	136	event AND filter\$3 AND ("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (signature\$1 pattern\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:17
S49	35	event AND filter\$3 AND ("IDS" intrusion detection) AND (decreas\$3 decrement\$3) AND (increas\$3 increment\$3) AND threshold AND (attack NEAR (signature\$1 pattern\$1 fingerprint\$1)) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:17
S50	2	"20040172558".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 17:18
S51	120	certain\$3 AND ("IDS" intrusion detection) AND (signature\$1 pattern\$1 fingerprint\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 13:57
S52	1	(certain\$3 (measure value)) AND ("IDS" intrusion detection) AND (signature\$1 pattern\$1 fingerprint\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 14:01
S53	107	(value measure) AND certain\$3 AND ("IDS" intrusion detection) AND (signature\$1 pattern\$1 fingerprint\$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. 713/188.ccls. 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 14:01
S54	256	(value measure) AND certain\$3 AND ("IDS" intrusion detection) AND (signature\$1 pattern\$1 fingerprint\$1) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 15:15

EAST Search History (Prior Art)

S55	112	(value measure) AND certain\$3 AND ("IDS" intrusion detection) AND signature\$1 AND pattern\$1 AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 15:15
S56	112	(value measure) AND certain\$3 AND ("IDS" intrusion detection) AND signature\$1 AND pattern\$1 AND (recogni\$4 match\$3) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 15:16
S57	62	(value measure) AND certain\$3 AND ("IDS" intrusion detection) AND signature\$1 AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 15:16
S58	6	"6279113".pn. "20040172557".pn. "7032114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/15 16:43
S59	72	(confidence NEAR (value\$1 level\$1)) AND ("IDS" intrusion detection intrusion) AND signature\$1 AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 17:20

EAST Search History (Prior Art)

S60	72	(adjust\$3 increas\$3 decreas\$3 increment\$3 decrement\$3) AND (confidence NEAR (value\$1 level\$1)) AND ("IDS" intrusion detection intrusion) AND signature\$1 AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 17:20
S61	2	"20030145226".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:04
S62	188	anomal\$3 AND ("IDS" intrusion detection intrusion) AND signature\$1 AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 12:48
S63	23	("IDS" intrusion detection intrusion) AND (signature\$1 NEAR anomal\$3) AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 12:49
S64	8	"20050037733".pn. "6279113".pn. "7032114".pn. "20040172557".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 12:52
S65	0	confidence AND ("IDS" intrusion detection intrusion) AND (signature\$1 NEAR anomal\$3) AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 12:53

EAST Search History (Prior Art)

S66	2	fidelity AND ("IDS" intrusion detection intrusion) AND (signature\$1 NEAR anomal\$3) AND (pattern\$1 NEAR (recogni\$4 match\$3)) AND (726/2,11,13,16,22-27.ccls. 713/188.ccls. 380/59.ccls. 709/217-222,227-229.ccls. 715/734-736.ccls. 370/216-228,241-258.ccls. 702/179-188.ccls. 714/100-57.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 12:53
S67	2	"7295831".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:54